

111RSI-250



GENERAL

Article ID: 23651
Description: Rectangular, sealable container, transparent
Polypropylene

PRODUCT SPECIFICATIONS

Material:	type:	PP	Weight:	9,0 gr (+/- 10%)
	raw material:	RCP-2	Average wall thickness:	0,45 mm (+/- 10 %)
Content:	nominal:	250 ml	Length:	111,0 mm
	brimfull:	290,8 ml	Width:	85,1 mm
	to stacking edge:	225,1 ml	Height:	47,1 mm
	to seal edge:	290,8 ml		
Colour:		transparent		
Surface/volume ratio:		7 dm ² /L		

* Content under lid depends upon the lid used. Values shown are applicable when standard lid is used.

USES / CERTIFICATES

Material properties:	Upon request, DECA is happy to provide you with a Declaration of Conformity (DoC) for your chosen product. This document contains all the information about the product and the materials used.
Compatibility:	It is the customer's responsibility to ensure that their product and process are compatible with our packaging solution.
Storage conditions:	Keep out of direct sunlight, keep dry, store in original closed packaging, at ambient temperature, relative humidity between 40 and 70%.
Expiration:	We recommend to use the products within 1 year after purchase. We can not be held responsible for use after this period.
Supplier information:	Arendo N.V. Toekomstlaan 28 2200 Herentals

PACKAGING

Primary:

Blue bag for TP/TPS/Tray/...

in primary packaging: 836 pieces

Weight: 836 pieces x 9 gr + 55,19 gr = 7579,19 gr

Secondary:

Carton Decatray

primary in secondary packaging: 1 pieces

Weight: 1 x 7579,19 gr + 1014,19 gr = 8593,38 gr



Tertiary:

Europallet, 150x1200x800


in tertiary packaging: 20 boxes = 16720 pieces

Weight: +/- 190,7638 kg

Standard height: 2250 mm



TECHNICAL DRAWING - 111-RSI-250 (V02 06082024)_X1 2D.pdf



DIMENSIONS

0 mm - 1 mm
1 mm - 10 mm
10 mm - 20 mm
20 mm - 30 mm
30 mm - 50 mm
50 mm - 100 mm
100 mm - 200 mm
200 mm - 400 mm
400 mm - 500 mm
wall thickness
weight

TOLERANCE (%)

0,10 mm
0,2 mm
0,3 mm
0,4 mm
0,5 mm
0,6 mm
0,8 mm
1,0 mm
1,5 mm
10%
10%

DISCLAIMER:

The information on this technical data sheet is valid only under the following conditions: The product is used in normal intended conditions and purposes (use). No changes and/or substances (intentional, non-intentional and/or by use) are applied and/or added to the product that could affect the nature and composition (a degeneration and/or a denaturation) of the product. The product may only be used for the foods, contact times and contact temperatures specified in the Declaration of Conformity.

LIMITING FACTORS:

Our products are suitable for single use only. If reused, mechanical and/or other properties may change and suitability for food is not guaranteed and is not covered by this document. It is the user's responsibility to ensure that their process is compatible with our product. It is the user's responsibility to check and test the suitability of the product for its intended use, the shelf life of the food, and the compatibility between the food and the product. It is the user's responsibility to test that the product does not alter the organoleptic properties and/or composition of the food.